

CNS PLANTS

CNS plants Common name	Scientific name	Part used	Active ingredient	Uses	Side effects
Ergot/ LSD lysergic acid diethylamide	Claviceps purpurea	Fungus grows on plants	Ergometrine & Ergotamine	facilitate delivery/ anti-migraine	
Peyote	Lophophora williamsii		Mescaline	Hallucinogen	
Cannabis	Cannabis sativa	Leaves	THC (tetrahydrocannabinol)	Hallucinogen, antibacterial, reduce pain	
Caffeine	Coffea arabica	Seeds		Diuretic, anorexic	
Theophylline	Camellia sinensis	Tea leaves		Bronchodilator, stimulant, diuretic, astringent, antioxidant, useful in diarrhea	
Theobromine	Theobroma cacao	Seeds	Flavonoids (epicatechin helps cardiovascular effects)	Diuretic, bronchodilator	
Cola seeds	Cola vera	Seeds	Caffeine & theobromine	Stimulant, flavoring agent	
Cocaine	Erythroxylum coca	Leaves		Local anesthetic	
Ginkgo biloba	Ginkgo biloba	Leaves		Improves memory	
Ginseng	Panax ginseng		Ginsenoside	Improves mental concentration, aphrodisiac, treatment of anemia, diabetes, diuretic, adaptogenic agent	
Galantamine	Galanthus nivalis			Alzheimers	
Hops	Humulus lupulus	Flower heads	alpha-acid humulone, beta-acid lupulone	Insomnia, neuralgia, excitability, sedative, antibacterial, antifungal	

Valerian	<i>Valeriana officinalis</i>	Roots, rhizomes, stolons	Valerenic acid	Insomnia, stress, anxiety, carminative, antispasmodic, sedative, useful in migraine, headaches, hysteria	Poisoning
Passiflora	<i>Passiflora incarnata</i>	Leafy aerial parts like flowers and fruits	Chrysin	Insomnia, hysteria, nervous tachycardia, neuralgia, nervous restlessness, sedative, antiinflammatory, antispasmodic, hypnotic, anxiety,	
Lemon balm	<i>Melissa officinalis</i>	Dried leaves		Sedative, GI disorders, antispasmodic, anti thyroid, anti infective	
St. johns wort	<i>Hypericum perforatum</i>	Flowering tops, leaves, unopened buds, flowers	Hypericin, pseudohypericin	Relieve mild to moderate depression, mild anxiety	Interacts with warfarin, cannot be used in pregnancy and lactation
Sage	<i>Salvia officinalis</i>	Leaves		Counter memory loss, soothes inflammation, antiviral, anti inflammatory, used for asthma	
Reserpine	<i>Rauwolfia serpentina</i>	Rauwolfia root		Antipsychotic, anti hypertensive, sedative, hypnotic	Exacerbate Parkinson's symptoms
Rosemary	<i>Rosmarinus officinalis</i>	Leaves	Rosmarinic acid, caffeic acid	Antioxidant, improves memory, improves concentration, carminative, spasmolytic	
Lavender	<i>Lavendula officinalis/ angustifolia</i>	Flower		Perfume..., sedative, antispasmodic	Cytotoxic (lavender oil)
Picrotoxin	Picrotoxin				Toxic, causes conclusion
Lobeline	<i>Lobelia inflata</i>	Leaves and tops		Smoking cessation	Similar effects to nicotine

Strychnine	Strychnine		Strychnos nux-vomica		Highly poisonous
Camphor	Cinnamomum camphora	Leaves and tops		Antiseptic, decongestant, aromatic stimulant	
Opium poppy	Papaver somniferum		Codeine & Morphine	Dental pain/ cough suppressant & analgesia/ management of severe pain	Nausea, constipation, drowsiness, respiratory depression
Feverfew	Tanacetum parthenium	Fresh leaves		Prophylaxis, migraine	
Pilocarpine	Pilocarpus microphyllus	Leaves	Pilocarpine	Glaucoma	
Calabar bean	Physostigma venenosum		Physostigmine	Glaucoma	Poisonous
		In a type of mushrooms	Muscarine	Glaucoma	Contraindicated in asthma, toxic
Atropa belladonna	Atropa belladonna	Roots, leaves	Atropine		
Datura stramonium	Datura stramonium	Seeds, leaves	Hyoscine (scopolamine)	Motion sickness	
Ephedra sinica	Ephedra sinica	Aerial parts	Ephedrine	Decongestant, bronchodilator, treat asthma	
Lavender	Lavendula officinalis/ Lavandula angustifolia		Linalool/ Limonene/ Cineole	Perfumes , creams , lotions , Shampoo (cosmetics). Sedative (aromatherapy). Antispasmodic . Have antiseptic and anti-inflammatory properties	Toxicity /cytotoxic when used topically
Picrotoxin				GABA inhibitor	Toxic, causes convulsions

Lobeline	Lobelia inflata	leaves and tops		Has similar effects to nicotine, has been used for smoking cessation	
Strychnine	Strychnos nux-vomica (الجوز المقيء)			stimulant	Highly poisonous
Camphor	Cinnamomum camphora	leaves		Aromatic stimulant and decongestant Antiseptic	
Codeine opium poppy (الأفيون)	Papaver somniferum			less potent than morphine, /management of moderate to severe pain like in dental pain, /cough suppressant	nausea, constipation, drowsiness, respiratory depression
Morphine opium poppy (الأفيون)	Papaver somniferum			preoperative analgesia short term management of severe pain	nausea, constipation, drowsiness, respiratory depression
Feverfew (أقحوان)	Tanacetum parthenium	Leaves		prophylaxis and treatment of migraine(inhibit secretion of serotonin)	
Ans drugs common name	Scientific name	Part used	Active ingredient	Uses	Side effects
Pilocarpine	Pilocarpus microphyllus	leaves		Parasympathomimetic agent, causes salivation/	

				ophthalmic preparations as a miotic and for glaucoma	
Physostigmine	Physostigma venenosum	(Calabar bean)		Acetylcholinesterase inhibitor/ glaucoma(topically)	poisonous
Muscarine				Muscarinic agonist in glaucoma	Contraindicated in asthma /cholinergic symptoms such as :Sweating, facial flushing, salivation, lacrimation, vomiting, abdominal cramps, diarrhea, urination, and miosis/Occasionally: bradycardia, hypotension, and dizziness
Atropine	Atropa belladonna	roots, leaves,		mydriatic agent	
Hyoscine (Scopolamine US)	Datura stramonium	seeds, leaves		motion sickness	
Ephedrine	Ephedra sinica	Aerial parts		Decongestant and bronchodilator/to treat asthma	

Reserpine	Rauwolfia serpentina	Rauwolfia root		antihypertensive effects/noradrenaline depletion/Blocks the sequestering of catecholamine neurotransmitters	
-----------	-------------------------	-------------------	--	--	--