

Inheritance and Polymorphism

Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All




Motivations

- ❖ Suppose you will define classes to model *circles*, *rectangles*, and *triangles*.
- ❖ These classes have **many common** features.
- ❖ What is the best way to design these classes so to **avoid redundancy**?

The answer is to use inheritance.



Superclasses and Subclasses



Are Superclass's Constructor Inherited?

- ❖ **No**. Unlike properties and methods, a superclass's **constructors are not inherited** in the subclass.
- ❖ They are invoked **explicitly** or **implicitly**.
- ❖ Explicitly using the **super** keyword.
- ❖ They can only be invoked from the subclasses' constructors, using the keyword **super**.

*If the keyword **super** is not explicitly used, the superclass's **no-arg constructor** is automatically invoked.*



Superclass's Constructor is Always Invoked

- ❖ A constructor may invoke an **overloaded** constructor **or** its superclass's constructor.
- ❖ **If** none of them is invoked explicitly, the compiler puts **super()** as the first statement in the constructor.
- ❖ For example:

```
public A() {  
}
```

is equivalent to

```
public A() {  
    super();  
}
```

```
public A(double d) {  
    // some statements  
}
```

is equivalent to

```
public A(double d) {  
    super();  
    // some statements  
}
```



Using the Keyword **super**

- ❖ The keyword **super** refers to the superclass of the class in which **super** appears.
- ❖ **super** keyword can be used in two ways:
 - **To call a superclass constructor.**
 - **To call a superclass method.**



Caution

- ❖ You must use the keyword **super** to call the superclass constructor.
 - Invoking a superclass constructor's name in a subclass causes a **syntax error**.
- ❖ Java requires that the statement that uses the keyword **super** appear first in the constructor.



Constructor Chaining

Constructing an instance of a class invokes all the superclasses' constructors along the inheritance chain. This is called ***constructor chaining***.

```
public class Faculty extends Employee {
    public static void main(String[] args) {
        Faculty f = new Faculty();
    }
    public Faculty() {
        System.out.println("(4) Faculty's no-arg constructor is invoked");
    }
}

class Employee extends Person {
    public Employee() {
        this("(2) Invoke Employee's overloaded constructor");
        System.out.println("(3) Employee's no-arg constructor is invoked");
    }
    public Employee(String s) {
        System.out.println(s);
    }
}

class Person {
    public Person() {
        System.out.println("(1) Person's no-arg constructor is invoked");
    }
}
```

Super(); →

Super(); →

Super(); →



Example on the Impact of a Superclass without no-arg Constructor

❖ Find out the **errors** in the following program:

```
public class Apple extends Fruit {  
}  
  
public class Fruit {  
    public Fruit(String name) {  
        System.out.println("Fruit's constructor is invoked");  
    }  
}
```



Defining a Subclass

❖ A subclass inherits from a superclass.

You can also:

➡ Add new properties.

➡ Add new methods.

➡ **Override** the methods of the superclass.




Calling Superclass Methods

❖ You could rewrite the **printCircle()** method in the **Circle** class as follows:

```
public void printCircle() {  
    System.out.println("The circle is created " +  
        super.getDateCreated() +  
        " and the radius is " + radius);  
}
```



Superclasses and Subclasses



Overriding Methods in the Superclass

- ❖ Sometimes it is necessary for the subclass to **modify** the implementation of a method defined in the superclass.
- ❖ This is referred to as **method overriding**.

```
public class Circle extends GeometricObject {  
    // Other methods are omitted  
    /** Override the toString method defined in GeometricObject */  
    public String toString() {  
        return super.toString() + "\n radius is " + radius;  
    }  
}
```



Note

- ❖ An **instance method** can be overridden **only if** it is accessible.
 - Thus a **private method** cannot be overridden, because it is not accessible outside its own class.
 - If a method defined in a subclass is **private** in its superclass, the two methods are completely unrelated.



Note cont.

❖ Like an instance method, a **static** method can be inherited.

- However, a **static** method **cannot** be overridden.

- If a **static** method defined in the superclass is redefined in a subclass, the method defined in the superclass is **hidden**.



Overriding vs. Overloading

```
public class Test {
    public static void main(String[] args) {
        A a = new A();
        a.p(10);
        a.p(10.0);
    }
}

class B {
    public void p(double i) {
        System.out.println(i * 2);
    }
}

class A extends B {
    // This method overrides the method in B
    public void p(double i) {
        System.out.println(i);
    }
}
```



Overriding vs. Overloading

```
public class Test {
    public static void main(String[] args) {
        A a = new A();
        a.p(10);
        a.p(10.0);
    }
}

class B {
    public void p(double i) {
        System.out.println(i * 2);
    }
}

class A extends B {
    // This method overloads the method in B
    public void p(int i) {
        System.out.println(i);
    }
}
```



The **Object** Class

- ❖ Every class in **Java** is descended from the **java.lang.Object** class.
- ❖ If no inheritance is specified when a class is defined, the superclass of the class is **Object**.

```
public class Circle {  
    ...  
}
```

Equivalent

```
public class Circle extends Object {  
    ...  
}
```



The **toString()** method in **Object**

- ❖ The **toString()** method returns a string representation of the **object**.
- ❖ The default implementation returns a string consisting of:
 - A **class name** of which the object is an instance.
 - The at sign (**@**).
 - A **number** representing this object.



The **toString()** method in **Object**

```
Circle c = new Circle();  
System.out.println(c.toString());
```

❖ The code displays something like:

Circle@15037e5

❖ This message is not very helpful or informative.

❖ Usually you should **override** the **toString** method so that it returns an informative string representing the object.



```
class GraduateStudent extends Student {  
}
```

```
class Student extends Person {  
    public String toString() {  
        return "Student";  
    }  
}
```

```
class Person extends Object {  
    public String toString() {  
        return "Person";  
    }  
}
```



Polymorphism

```
public class Demo {  
    public static void main(String[] a) {  
        m(new Object());  
        m(new Person());  
        m(new Student());  
        m(new GraduateStudent());  
    }  
  
    public static void m(Object x){  
        System.out.println(x.toString());  
    }  
}
```

Method **m** takes a parameter of the **Object** type.

You can invoke it with any object.

- ❖ An object of a **subtype** can be used wherever its **supertype** value is required.
- ❖ This feature is known as **polymorphism**.



Dynamic Binding

```
public class Demo {
    public static void main(String[] a) {
        m(new GraduateStudent());
        m(new Student());
        m(new Person());
        m(new Object());
    }
    public static void m(Object x) {
        System.out.println(x.toString());
    }
}
```

This capability is known as ***dynamic binding***.


❖ When the method **m(Object x)** is executed, the argument **x**'s **toString** method is invoked. **x** may be an instance of **GraduateStudent**, **Student**, **Person**, or **Object**.

❖ Classes **GraduateStudent**, **Student**, **Person**, and **Object** have their own implementation of the **toString** method. Which implementation is used will be determined **dynamically** by the JVM at **runtime**.



Dynamic Binding


- ❖ Dynamic binding works as follows:
 - Suppose an object o is an instance of classes C_1, C_2, \dots, C_{n-1} , and C_n , where C_1 is a subclass of C_2 , C_2 is a subclass of C_3 , ..., and C_{n-1} is a subclass of C_n .
 - That is, C_n is the most general class, and C_1 is the most specific class.



Since o is an instance of C_1 , o is also an instance of C_2, C_3, \dots, C_{n-1} , and C_n

Dynamic Binding cont.

- ❖ Dynamic binding works as follows:
 - If **o** invokes a method **p**, the **JVM** searches the implementation for the method **p** in **C₁**, **C₂**, ..., **C_{n-1}** and **C_n**, in this order, until it is found.
 - Once an implementation is found, the search stops and the first-found implementation is invoked.



Since **o** is an instance of **C₁**, **o** is also an instance of **C₂**, **C₃**, ..., **C_{n-1}**, and **C_n**

Generic Programming

```
public class Demo {  
    public static void main(String[] a) {  
        m(new GraduateStudent());  
        m(new Student());  
        m(new Person());  
        m(new Object());  
    }  
    public static void m(Object x){  
        System.out.println(x.toString());  
    }  
}
```

Polymorphism allows methods to be used generically for a wide range of object arguments.

This is known as:

generic programming

- ❖ If a method's parameter type is a superclass (e.g., **Object**), you may pass an object to this method of any of the parameter's subclasses (e.g., **Student**).
- ❖ When an **object** (e.g., a **Student** object) is used in the method, the particular implementation of the method of the object that is invoked (e.g., **toString**) is determined **dynamically**.



Casting Objects

❖ **Casting** can also be used to convert an object of one class type to another **within an inheritance hierarchy**.

```
m( new Student() );
```

assigns the object **new Student()** to a parameter of the **Object** type. This statement is equivalent to:

```
Object o = new Student(); // Implicit casting
```

```
m( o );
```

The statement **Object o = new Student()**, known as **implicit casting**, is legal because an instance of **Student** is automatically an instance of **Object**.



Why Casting is Necessary?

❖ Suppose you want to assign the object reference **o** to a variable of the **Student** type using the following statement:

```
Student b = o ; // A compile error would occur.
```

❖ Why does the statement **Object o = new Student()** work and the statement **Student b = o** doesn't?

- This is because a **Student** object is always an instance of **Object**, but an **Object** is not necessarily an instance of **Student**.

- Even though you can see that **o** is really a **Student** object, the compiler is not so clever to know it.



Why Casting Is Necessary?

- ❖ To tell the compiler that **o** is a **Student** object, use an **explicit casting**.
- ❖ The syntax is similar to the one used for casting among primitive data types.
- ❖ Enclose the target object type in parentheses and place it before the object to be cast, as follows:

```
Student b = (Student) o ; // Explicit casting
```



Casting from Superclass to Subclass

❖ Explicit casting **must** be used when casting an object from a superclass to a subclass.


```
Fruit fruit = new Apple();
```

```
Apple a = (Apple) fruit;
```

```
Orange o = (Orange) fruit;
```



❖ This type of casting **may not** always succeed.



The **instanceof** Operator

❖ Use the **instanceof** operator to test whether an object is an instance of a class:

```
Object myObject = new Circle();  
:  
// Perform casting if myObject is an instance of Circle  
if (myObject instanceof Circle) {  
    System.out.println("The circle diameter is " +  
        ( (Circle)myObject).getDiameter() );  
}
```



The **equals** Method

- ❖ The **equals()** method compares the contents of two objects.
- ❖ The default implementation of the **equals** method in the **Object** class is as follows:

```
public boolean equals (Object obj) {  
    return ( this == obj );  
}
```

- ❖ For example, the **equals** method is **overridden** in the **Circle** class.

```
public boolean equals(Object o) {  
    if (o instanceof Circle) {  
        return radius == ((Circle)o).radius;  
    }  
    else  
        return false;  
}
```



Note

- ❖ The **==** comparison operator is used for comparing two **primitive data type** values or for determining whether two objects have the **same references**.
- ❖ The **equals** method is intended to test whether two objects have the **same contents**, provided that the method is modified in the defining class of the objects.



```
public class Test {
    public static void main(String[] args) {
        new Person().printPerson();
        new Student().printPerson();
    }
}

class Student extends Person {
    @Override
    public String getInfo() {
        return "Student";
    }
}

class Person {
    public String getInfo() {
        return "Person";
    }

    public void printPerson() {
        System.out.println(getInfo());
    }
}
```



```
public class Test {
    public static void main(String[] args) {
        new Person().printPerson();
        new Student().printPerson();
    }
}

class Student extends Person {
    private String getInfo() {
        return "Student";
    }
}

class Person {
    private String getInfo() {
        return "Person";
    }

    public void printPerson() {
        System.out.println(getInfo());
    }
}
```



The **ArrayList** Class

- ❖ You can create an array to store objects.
- ❖ But the array's **size is fixed** once the array is created.
- ❖ Java provides the **ArrayList** class that can be used to store an **unlimited** number of objects.



The **ArrayList** Class

java.util.ArrayList<E>

```
+ArrayList()  
+add(o: E) : void  
+add(index: int, o: E) : void  
+clear(): void  
+contains(o: Object): boolean  
+get(index: int) : E  
+indexOf(o: Object) : int  
+isEmpty(): boolean  
+lastIndexOf(o: Object) : int  
+remove(o: Object): boolean  
+size(): int  
+remove(index: int) : boolean  
+set(index: int, o: E) : E
```

Creates an empty list

Appends a new element `o` at the end of this list.

Adds a new element `o` at the specified index in this list.

Removes all the elements from this list.

Returns true if this list contains the element `o`.

Returns the element from this list at the specified index.

Returns the index of the first matching element in this list.

Returns true if this list contains no elements.

Returns the index of the last matching element in this list.

Removes the element `o` from this list.

Returns the number of elements in this list.

Removes the element at the specified index.

Sets the element at the specified index.

Generic Type <E>

- ❖ **ArrayList** is known as a generic class with a generic type **E**.
- ❖ You can specify a concrete type to replace **E** when creating an **ArrayList**.
- ❖ For example, the following statement creates an **ArrayList** and assigns its reference to variable **cities**. This **ArrayList** object can be used to store **strings**:

```
ArrayList<String> cities = new ArrayList<String>();
```

```
ArrayList<String> cities = new ArrayList<>();
```



Differences and Similarities

between **Arrays** and **ArrayList**

<i>Operation</i>	<i>Array</i>	<i>ArrayList</i>
Creating an array/ArrayList	<code>String[] a = new String[10]</code>	<code>ArrayList<String> list = new</code>
Accessing an element	<code>a[index]</code>	<code>list.get(index);</code>
Updating an element	<code>a[index] = "London";</code>	<code>list.set(index, "London");</code>
Returning size	<code>a.length</code>	<code>list.size();</code>
Adding a new element		<code>list.add("London");</code>
Inserting a new element		<code>list.add(index, "London");</code>
Removing an element		<code>list.remove(index);</code>
Removing an element		<code>list.remove(Object);</code>
Removing all elements		<code>list.clear();</code>



```
3 public class TestArrayList {
4     public static void main(String[] args) {
5         // Create a list to store cities
6         ArrayList<String> cityList = new ArrayList<>();
7
8         // Add some cities in the list
9         cityList.add("London");
10        // cityList now contains [London]
11        cityList.add("Denver");
12        // cityList now contains [London, Denver]
13        cityList.add("Paris");
14        // cityList now contains [London, Denver, Paris]
15        cityList.add("Miami");
16        // cityList now contains [London, Denver, Paris, Miami]
17        cityList.add("Seoul");
18        // Contains [London, Denver, Paris, Miami, Seoul]
19        cityList.add("Tokyo");
20        // Contains [London, Denver, Paris, Miami, Seoul, Tokyo]
21
22        System.out.println("List size? " + cityList.size());
23        System.out.println("Is Miami in the list? " +
24            cityList.contains("Miami"));
25        System.out.println("The location of Denver in the list? "
26            + cityList.indexOf("Denver"));
27        System.out.println("Is the list empty? " +
28            cityList.isEmpty()); // Print false
29
30        // Insert a new city at index 2
31        cityList.add(2, "Xian");
32        // Contains [London, Denver, Xian, Paris, Miami, Seoul, Tokyo]
```




```
// Remove a city from the list
cityList.remove("Miami");
// Contains [London, Denver, Xian, Paris, Seoul, Tokyo]

// Remove a city at index 1
cityList.remove(1);
// Contains [London, Xian, Paris, Seoul, Tokyo]

// Display the contents in the list
System.out.println(cityList.toString());

// Display the contents in the list in reverse order
for (int i = cityList.size() - 1; i >= 0; i--)
    System.out.print(cityList.get(i) + " ");
System.out.println();

// Create a list to store two circles
ArrayList<CircleFromSimpleGeometricObject> list
    = new ArrayList<>();

// Add two circles
list.add(new CircleFromSimpleGeometricObject(2));
list.add(new CircleFromSimpleGeometricObject(3));

// Display the area of the first circle in the list
System.out.println("The area of the circle? " +
    list.get(0).getArea());
```



ArrayLists from/to Arrays

- ❖ Creating an **ArrayList** from an array of objects:

```
String[] array = {"red", "green", "blue"};  
ArrayList<String> list = new  
ArrayList<>(Arrays.asList(array));
```

- ❖ Creating an array of objects from an **ArrayList**:

```
String[] array1 = new String[list.size()];  
list.toArray(array1);
```



max and min in an ArrayList

```
java.util.Collections.max(list)
```

```
java.util.Collections.min(list)
```

Shuffling an ArrayList

```
Integer[] array = {3, 5, 95, 4, 15, 34, 3, 6, 5};
```

```
ArrayList<Integer> list = new
```

```
ArrayList<>(Arrays.asList(array));
```

```
java.util.Collections.shuffle(list);
```

```
System.out.println(list);
```



The **protected** Modifier

- ❖ The **protected** modifier can be applied on **data** and **methods** in a class.
- ❖ A **protected** data/method in a **public** class can be accessed by any class in the same package **or** its subclasses, **even if** the subclasses are in a different package.

Visibility increases



private, none (if no modifier is used), protected, public



Accessibility Summary

Modifier on members in a class	Accessed from the same class	Accessed from the same package	Accessed from a subclass	Accessed from a different package
public	✓	✓	✓	✓
protected	✓	✓	✓	-
default	✓	✓	-	-
private	✓	-	-	-



Visibility Modifiers

package p1;

```
public class C1 {  
    public int x;  
    protected int y;  
    int z;  
    private int u;  
  
    protected void m() {  
    }  
}
```

```
public class C2 {  
    C1 o = new C1();  
    can access o.x;  
    can access o.y;  
    can access o.z;  
    cannot access o.u;  
  
    can invoke o.m();  
}
```

package p2;

```
public class C3  
    extends C1 {  
    can access x;  
    can access y;  
    can access z;  
    cannot access u;  
  
    can invoke m();  
}
```

```
public class C4  
    extends C1 {  
    can access x;  
    can access y;  
    cannot access z;  
    cannot access u;  
  
    can invoke m();  
}
```

```
public class C5 {  
    C1 o = new C1();  
    can access o.x;  
    cannot access o.y;  
    cannot access o.z;  
    cannot access o.u;  
  
    cannot invoke o.m();  
}
```



A Subclass Cannot **Weaken** the Accessibility

- ❖ A subclass may override a **protected** method in its superclass and change its visibility to **public**.
- ❖ However, a subclass **cannot weaken** the accessibility of a method defined in the superclass.
- ❖ For example, if a method is defined as **public** in the superclass, it must be defined as **public** in the subclass.



The **final** Modifier

- ❖ The **final** class cannot be extended:

```
final class Math {  
    ...  
}
```

- ❖ The **final** variable is a constant:

```
final static double PI = 3.14159;
```

- ❖ The **final** method cannot be overridden by its subclasses.



Note

- ❖ The modifiers are used on classes and class **members** (data and methods), except that the **final** modifier can also be used on local variables in a method.
- ❖ A **final** local variable is a constant inside a method.

