

Methods




Liang, Introduction to Java Programming, Tenth Edition, (c) 2015 Pearson Education, Inc. All



By: Mamoun Nawahdah (Ph.D.)
2015/2016

Defining Methods

❖ A method is a collection of statements that are grouped together to perform an operation.



CAUTION

- ❖ A **return** statement is required for a value-returning method.
- ❖ The method shown below in (a) is logically correct, but it has a compilation error because the Java compiler thinks it possible that this method does not return any value.

```
public static int sign(int n) {
    if (n > 0)
        return 1;
    else if (n == 0)
        return 0;
    else if (n < 0)
        return -1;
}
```

(a)

Should be

```
public static int sign(int n) {
    if (n > 0)
        return 1;
    else if (n == 0)
        return 0;
    else
        return -1;
}
```

(b)

- To fix this problem, delete **if (n < 0)** in (a), so that the compiler will see a **return** statement to be reached regardless of how the **if** statement is evaluated.



3

Passing Parameters

```
public static void nPrintln(String message, int n) {
    for (int i = 0; i < n; i++)
        System.out.println(message);
}
```

- ❖ Suppose you invoke the method using **nPrintln("Welcome to Java", 5);**
What is the output?
- ❖ Suppose you invoke the method using **nPrintln("Computer Science", 15);**
What is the output?
- ❖ Can you invoke the method using **nPrintln(15, "Computer Science");**



4

Ambiguous Invocation

```
public class AmbiguousOverloading {
    public static void main(String[] args) {
        System.out.println(max(1, 2));
    }

    public static double max(int num1, double num2) {
        if (num1 > num2)
            return num1;
        else
            return num2;
    }

    public static double max(double num1, int num2) {
        if (num1 > num2)
            return num1;
        else
            return num2;
    }
}
```



5

Scope of Local Variables

- ❖ A **local variable**: a variable defined inside a method.
- ❖ **Scope**: the part of the program where the variable can be referenced.
- ❖ The scope of a local variable **starts from its declaration and continues to the end of the block that contains the variable.**
- ❖ A local variable **must** be declared before it can be used.



6

Scope of Local Variables

❖ You can declare a local variable with the same name multiple times in different **non-nesting** blocks in a method, but you cannot declare a local variable twice in nested blocks.

It is fine to declare `i` in two non-nesting blocks

```
public static void method1() {
    int x = 1;
    int y = 1;
    for (int i = 1; i < 10; i++) {
        x += i;
    }
    for (int i = 1; i < 10; i++) {
        y += i;
    }
}
```


It is wrong to declare `i` in two nesting blocks

```
public static void method2() {
    int i = 1;
    int sum = 0;
    for (int i = 1; i < 10; i++) {
        sum += i;
    }
}
```

7

Method Abstraction

❖ You can think of the method body as a black box that contains the detailed implementation for the method.



8

Benefits of Methods

- Write a method once and **reuse** it anywhere.
- **Information hiding**. Hide the implementation from the user.
- **Reduce complexity**.



9

The Math Class

- ❖ Class constants:
 - **PI**
 - **E**
- ❖ Class methods:
 - Trigonometric Methods
 - Exponent Methods
 - Rounding Methods
 - min, max, abs, and random Methods



10

Trigonometric Methods

- ❖ **sin**(double a)
- ❖ **cos**(double a)
- ❖ **tan**(double a)
- ❖ **acos**(double a)
- ❖ **asin**(double a)
- ❖ **atan**(double a)

Examples:

<code>Math.sin(0)</code>	returns 0.0
<code>Math.sin(Math.PI / 6)</code>	returns 0.5
<code>Math.sin(Math.PI / 2)</code>	returns 1.0
<code>Math.cos(0)</code>	returns 1.0
<code>Math.cos(Math.PI / 6)</code>	returns 0.866
<code>Math.cos(Math.PI / 2)</code>	returns 0.0

Radians

`Math.toRadians(90)`



11

Exponent Methods

- ❖ **exp**(double a)
Returns **e** raised to the power of a.
- ❖ **log**(double a)
Returns the natural logarithm of a.
- ❖ **log10**(double a)
Returns the 10-based logarithm of a.
- ❖ **pow**(double a, double b)
Returns a raised to the power of b.
- ❖ **sqrt**(double a)
Returns the square root of a.

Examples:

<code>Math.exp(1)</code>	returns 2.71
<code>Math.log(2.71)</code>	returns 1.0
<code>Math.pow(2, 3)</code>	returns 8.0
<code>Math.pow(3, 2)</code>	returns 9.0
<code>Math.pow(3.5, 2.5)</code>	returns 22.917
<code>Math.sqrt(4)</code>	returns 2.0
<code>Math.sqrt(10.5)</code>	returns 3.24



12

Rounding Methods

- ❖ **double `ceil(double x)`** `x` rounded up to its nearest integer. This integer is returned as a double value.
- ❖ **double `floor(double x)`** `x` is rounded down to its nearest integer. This integer is returned as a double value.
- ❖ **double `rint(double x)`** `x` is rounded to its nearest integer. If `x` is equally close to two integers, the even one is returned as a double.
- ❖ **int `round(float x)`** Return `(int)Math.floor(x+0.5)`.
- ❖ **long `round(double x)`** Return `(long)Math.floor(x+0.5)`.



13

min, max, and abs

- ❖ **`max(a, b)` and `min(a, b)`**
Returns the maximum or minimum of two parameters.
- ❖ **`abs(a)`**
Returns the absolute value of the parameter.
- ❖ **`random()`**
Returns a random double value in the range `[0.0, 1.0)`.

Examples:

<code>Math.max(2, 3)</code>	returns 3
<code>Math.max(2.5, 3)</code>	returns 3.0
<code>Math.min(2.5, 3.6)</code>	returns 2.5
<code>Math.abs(-2)</code>	returns 2
<code>Math.abs(-2.1)</code>	returns 2.1



14

The **random** Method

❖ Generates a random **double** value greater than or equal to 0.0 and less than 1.0

$$(0 \leq \text{Math.random()} < 1.0)$$

`(int) (Math.random() * 10)` → Returns a random integer between 0 and 9.

`50 + (int) (Math.random() * 50)` → Returns a random integer between 50 and 99.


In general:

`a + Math.random() * b` → Returns a random number between a and a + b, excluding a + b.



15

Case Study: Computing Angles of a Triangle



$$A = \arccos\left(\frac{a^2 + a^2 - b^2 - c^2}{-2 * b * c}\right)$$

$$B = \arccos\left(\frac{b^2 + b^2 - a^2 - c^2}{-2 * a * c}\right)$$

$$C = \arccos\left(\frac{c^2 + c^2 - b^2 - a^2}{-2 * a * b}\right)$$

Write a program that prompts the user to enter the x- and y-coordinates of the three corner points in a triangle and then displays the triangle's angles.



16