

AVL Trees

Binary Search Tree Best Time

- All BST operations are $O(h)$, where h is tree height.
- maximum h is $h = \lfloor \log_2 N \rfloor$ for a binary tree with N nodes
 - › What is the best case tree?
 - › What is the worst case tree?
- So, best case running time of BST operations is $O(\log N)$

Binary Search Tree


Worst Time

- Worst case running time is $O(N)$
 - › What happens when you Insert elements in ascending order?
 - Insert: 2, 4, 6, 8, 10, 12 into an empty BST
 - › Problem: Lack of “balance”:
 - compare heights of left and right subtree
 - › Unbalanced degenerate tree

4/4/2017

3

Balanced and unbalanced BST



4/4/2017

4

Approaches to balancing trees

- Don't balance
 - › May end up with some nodes very deep
- Strict balance
 - › The tree must always be balanced perfectly
- Pretty good balance
 - › Only allow a little out of balance
- Adjust on access
 - › Self-adjusting

4/4/2017

5

Balancing Binary Search Trees


- Many algorithms exist for keeping binary search trees balanced
 - › Adelson-Velskii and Landis ([AVL trees](#)) (height-balanced trees)
 - › [Splay trees](#) and other self-adjusting trees
 - › [B-trees](#) and other multiway search trees

4/4/2017

6

Perfect Balance

- Want a **complete tree** after every operation
 - › tree is full except possibly in the lower right
- This is expensive
 - › For example, insert 2 in the tree on the left and then rebuild as a complete tree



AVL - Good but not Perfect Balance


- AVL trees are height-balanced binary search trees
- **Balance factor** of a node
 - › $\text{height}(\text{left subtree}) - \text{height}(\text{right subtree})$
- An AVL tree has balance factor calculated at every node
 - › For every node, heights of left and right subtree can differ by no more than 1
 - › Store current heights in each node

4/4/2017

8

Height of an AVL Tree

- $N(h)$ = **minimum** number of nodes in an AVL tree of height h .
- **Basis**
 - › $N(0) = 1, N(1) = 2$
- **Induction**
 - › $N(h) = N(h-1) + N(h-2) + 1$
- **Solution** (recall Fibonacci analysis)
 - › $N(h) \geq \phi^h$ ($\phi \approx 1.62$)



4/4/2017

9


Height of an AVL Tree

- $N(h) \geq \phi^h$ ($\phi \approx 1.62$)
- **Suppose we have n nodes in an AVL tree of height h .**
 - › $n \geq N(h)$ (because $N(h)$ was the minimum)
 - › $n \geq \phi^h$ hence $\log_{\phi} n \geq h$ (relatively well balanced tree!!)
 - › $h \leq 1.44 \log_2 n$ (i.e., Find takes $O(\log n)$)

4/4/2017

10

Node Heights




height of node = h
 balance factor = $h_{\text{left}} - h_{\text{right}}$
 empty height = -1

4/4/2017

11

Node Heights after Insert 7



height of node = h
 balance factor = $h_{\text{left}} - h_{\text{right}}$
 empty height = -1

4/4/2017

12


Insert and Rotation in AVL Trees

- Insert operation may cause balance factor to become 2 or -2 for some node
 - › only nodes on the path from insertion point to root node have possibly changed in height
 - › So after the Insert, go back up to the root node by node, updating heights
 - › If a new balance factor (the difference $h_{\text{left}} - h_{\text{right}}$) is 2 or -2 , adjust tree by *rotation* around the node

4/4/2017

13

Single Rotation in an AVL Tree



4/4/2017

14

Insertions in AVL Trees

Let the node that needs rebalancing be α .

There are 4 cases:

Outside Cases (require single rotation) :

1. Insertion into **left** subtree of **left** child of α .
2. Insertion into **right** subtree of **right** child of α .

Inside Cases (require double rotation) :

3. Insertion into **right** subtree of **left** child of α .
4. Insertion into **left** subtree of **right** child of α .


The rebalancing is performed through four separate rotation algorithms.

4/4/2017

15

AVL Insertion: Outside Case


Consider a valid
AVL subtree




4/4/2017

16


AVL Insertion: Outside Case




AVL Insertion: Outside Case



Single right rotation




Outside Case Completed



AVL Insertion: Inside Case

Consider a valid
AVL subtree




4/4/2017

21

AVL Insertion: Inside Case


Inserting into Y
destroys the
AVL property
at node j



4/4/2017

22

AVL Insertion: Inside Case




4/4/2017

23

AVL Insertion: Inside Case


Consider the structure of subtree Y...



4/4/2017

24


AVL Insertion: Inside Case



4/4/2017

25


AVL Insertion: Inside Case



4/4/2017

26


Double rotation : first rotation



4/4/2017

27

Double rotation : second rotation




4/4/2017

28

Double rotation : second rotation


right rotation complete



4/4/2017

29

Implementation



No need to keep the height; just the difference in height, i.e. the **balance** factor; this has to be modified on the path of insertion even if you don't perform rotations

Once you have performed a rotation (single or double) you won't need to go back up the tree


4/4/2017

30

Single Rotation

```
RotateFromRight(n : reference node pointer) {  
  p : node pointer;  
  p := n.right;  
  n.right := p.left;  
  p.left := n;  
  n := p  
}
```

You also need to
modify the heights
or balance factors
of n and p




4/4/2017

31

Double Rotation

- Implement Double Rotation in two lines.

```
DoubleRotateFromRight(n : reference node pointer) {  
  ?????  
}
```




4/4/2017

32

Double Rotation

```
DoubleRotateFromRight(n : reference node pointer) {  
  RotateFromLeft(n.right);  
  RotateFromRight(n);  
}
```



4/4/2017

33

Insertion in AVL Trees

- Insert at the leaf (as for all BST)
 - › only nodes on the path from insertion point to root node have possibly changed in height
 - › So after the Insert, go back up to the root node by node, updating heights
 - › If a new balance factor (the difference $h_{\text{left}} - h_{\text{right}}$) is 2 or -2 , adjust tree by *rotation* around the node

4/4/2017

34

Insert in BST

```
Insert(T : reference tree pointer, x : element) : integer {
if T = null then
  T := new tree; T.data := x; return 1; //the links to
                                     //children are null
case
  T.data = x : return 0; //Duplicate do nothing
  T.data > x : return Insert(T.left, x);
  T.data < x : return Insert(T.right, x);
endcase
}
```

4/4/2017

35


Insert in AVL trees

```
Insert(T : reference tree pointer, x : element) : {
if T = null then
  {T := new tree; T.data := x; height := 0; return;}
case
  T.data = x : return ; //Duplicate do nothing
  T.data > x : Insert(T.left, x);
               if ((height(T.left)- height(T.right)) = 2){
                 if (T.left.data > x ) then //outside case
                   T = RotatefromLeft (T);
                 else //inside case
                   T = DoubleRotatefromLeft (T);}
  T.data < x : Insert(T.right, x);
               code similar to the left case
Endcase
  T.height := max(height(T.left),height(T.right)) +1;
  return;
}
```

4/4/2017

36


Example of Insertions in an AVL Tree



4/4/2017

37


Example of Insertions in an AVL Tree



4/4/2017

38


Single rotation (outside case)



4/4/2017

39

Double rotation (inside case)



4/4/2017

40

AVL Tree Deletion

- Similar but more complex than insertion
 - › Rotations and double rotations needed to rebalance
 - › Imbalance may propagate upward so that many rotations may be needed.

4/4/2017

41

Pros and Cons of AVL Trees

Arguments for AVL trees:

1. Search is $O(\log N)$ since AVL trees are **always balanced**.
2. Insertion and deletions are also $O(\log n)$
3. The height balancing adds no more than a constant factor to the speed of insertion.

Arguments against using AVL trees:

1. Difficult to program & debug; more space for balance factor.
2. Asymptotically faster but rebalancing costs time.
3. Most large searches are done in database systems on disk and use other structures (e.g. B-trees).
4. May be OK to have $O(N)$ for a single operation if total run time for many consecutive operations is fast (e.g. Splay trees).

4/4/2017

42