

COMP2321 – DATA STRUCTURES

Linked Lists

Dr. Radi Jarrar
Department of Computer Science
Birzeit University



Data structure and Arrays

- A data structure is a way of storing data in a computer so that they can be retrieved and used efficiently
- An array is a very simple data structure for holding a sequence of data

contiguous memory locations											
200	204	208	212	216	220	224	228	232	236	240	244
11	9	17	89	1	90	19	5	3	23	43	99
0	1	2	3	4	5	6	7	8	9	10	11
<div style="display: flex; align-items: center; justify-content: center;"> → Index </div>											


Data structure and Arrays (2)

- Pros of Arrays
 - Access to an array element is fast since we can compute its location quickly
- Cons
 - Fixed size
 - When we want to insert or delete an element, we have to shift subsequent elements (slow)
 - We need a large enough block of memory to hold an array

Linked Lists

- Another data structure that is used to store sequence of data
- A linked list consists of a series of structures called nodes
- Data values do not have to be stored in adjacent memory cells
- Each node contains two fields: a "data" field and a "next" field, which is a pointer used to link one node to the next node
- To use a linked list, we only need to know where the first data value is stored

Linked Lists (2)



- Advantages of Linked Lists
 - Dynamic size
 - No shift of elements on deletion/insertion
- Drawbacks of Linked Lists
 - Random access isn't allowed
 - Extra memory is needed for the next pointer

Linked Lists (3)

- When to use Linked Lists
 - The number of data items to be stored in the list is unknown
 - No need for random access
 - Insertion in the middle of the list is frequent

Linked Lists vs. Array

Operation	Array	Linked List
Print list		
Print Element		
Search		
Insert		
Delete		
Find Index		

Operations on Linked Lists

- Header node: a node that is kept at position zero. It points to the first element in the list.
- Creation (MakeEmpty): the process of creating the head node. Returns a pointer to the first node.
- Insertion: obtaining a new cell from the system by using the malloc call.
- Deletion: delete a given node after find.
- Find: search for a node. If exists, return a pointer to it.

Struct Node

- Node is the main building block of the list.
- In this example, each node contains a single data element and a pointer to the next node in the list.

```
struct node
{
    int Data;
    struct node* Next;
};
```

MakeEmpty

- Creates a Linked List

```
struct node* MakeEmpty(struct node* L){
    if(L != NULL)
        DeleteList( L );
    L = (struct node*)malloc(sizeof(struct node));

    if(L == NULL)
        printf("Out of memory!\n");

    L->Next = NULL;
    return L;
}
```


Find

- Looks for a node in the Linked List. Returns a pointer to the node if exists.

```
struct node* Find(int X, struct node* L){
    struct node* P;
    P = L->Next;

    while(P != NULL && P->Data != X)
        X = X->Next;

    return P;
}
```

FindPrevious

- Similar to previous but return a pointer to the node previous to the one you are looking for. If X is not found, then Next field of returned value is NULL.

```
struct node* FindPrevious(int X, struct node* L){
    struct node* P;
    P = L;

    while(P->Next != NULL && P->Next->Data != X)
        X = X->Next;

    return P;
}
```

Delete

- Delete the first occurrence in the list. We find P, which is the cell pointer to the one containing X, via FindPrevious

```
void Delete(int X, struct node* L){
    struct node* P, temp;

    P = FindPrevious(X, L);

    if( !IsLast(P, L) ){
        temp = P->Next;
        P->Next = temp->Next; //bypass delete cell
        free(temp);
    }
}
```

Insert

- Pass an element to be inserted, a list L, and position P. Insert an element after the position implied by P.

```
void Insert(int X, struct node* L, struct node*
P){
    struct node* temp;
    temp = (struct node*)malloc(sizeof(struct
node));
    temp->Data = X;
    temp->Next = P->Next;
    P->Next = temp;
}
```


PrintList

- Given a list, print its elements.

```
void PrintList(struct node* L){
    struct node* P = L;
    if( IsEmpty(L) )
        printf("Empty list\n");
    else
        do{
            P=P->Next;
            printf("%d\t", P->Data);
        }while( !IsLast(P, L) );
        printf("\n");
}
```

DeleteList

- Given a list, delete all its elements.

```
void DeleteList(struct node* L){
    struct node* P, temp;
    P = L->Next;
    L->Next = NULL;

    while(P != NULL){
        temp = P->Next;
        free(P);
        P=temp;
    }
}
```

Size of Linked List

- Write a routine to find the size of a linked list.

Types of Linked Lists

- Linear singly-linked list
- Doubly linked list
- Single circular linked list
- Doubly circular linked list

Circular Linked List


- The last node keeps a pointer to the first node

Doubly Linked List

- Each node points to its next and previous node
- Add an extra pointer to the previous node
- Adds more space requirements and doubles the cost of insertion & deletion because more pointers to fix
- Simplifies deletion-no need for FindPrevious

Doubly Circular Linked List

- Each node points to its next and previous node
- The last node's next is the first; and the previous of the first is the last



APPLICATIONS TO LINKED LISTS

Radix Sort

- Is a non-comparative sorting algorithm. We are not comparing elements (in a list for instance) with each other.
1. Takes the least significant digits (LSD) of the values to be sorted.
 2. Sorts the list of elements based on the digit

<https://youtu.be/7pwwgxmMHnc>

Radix Sort (2)

- E.g., 9, 169, 739, 538, 10, 5, 36 → array size 7
- Solution: consider 0 to 9 linked lists. 10 lists. Each one represent a digit which each significant digit can be. We are going to sort each number into one of these lists as we are going along.
 - Total of 10 lists
 - 0-9 refers to actual numbers

Radix Sort (3)

9	169	739	538	10	5	36
---	-----	-----	-----	----	---	----

- STEP 1: take the least significant digit (the one's column). Extract using the mod 10 (`int m=10, n=1;`) (m is the modulus; divide the whole number, then divide the number by n).

Radix Sort (4)

9	169	739	538	10	5	36
---	-----	-----	-----	----	---	----


- So after the first round:

0	
1	
2	
3	
4	
5	
6	
7	
8	
9	

Radix Sort (4)

9	169	739	538	10	5	36
---	-----	-----	-----	----	---	----

- So after the first round:



Radix Sort (5)

10	5	36	538	9	169	739
----	---	----	-----	---	-----	-----

- Once we reached the end of the list, we make a new array and put the values by removing from head of each list.
- Then the sorted new array is: 10, 5, 36, 538, 9, 169, 739
- Now we look at the second significant digit in the new array and we re-arrange the numbers based on that digit.
- Implementation ($m=m*10$ (which is the mod); $n=n*10$ which is 10 now)

Radix Sort (6)

10	5	36	538	9	169	739
----	---	----	-----	---	-----	-----

- Again, we take the mod of each number with m then we divide by n and put it in the list.

0		
1		
2		
3		
4		
5		
6		
7		
8		
9		

Radix Sort (7)

5	9	19	36	538	739	169
---	---	----	----	-----	-----	-----

- So the list becomes 5, 9, 10, 36, 538, 739, 169
- Now we look at the third digit:

0		
1		
2		
3		
4		
5		
6		
7		
8		
9		

Radix Sort (8)

- So the FINAL list becomes 5, 9, 10, 36, 169, 538, 739
- Notes
 - The mod value m and the divisor value n go as big as the largest number of digits inside the array.
 - In other words, it increases one digit every time until array is sorted.
 - In this example, significant digit increase each time.

Radix Sort (9)

- Time complexity
 - $O(kN)$ where N is the number of elements to sort, k is the number of digits (or it can be said for n keys which have d or fewer digits). Generally, k cannot be considered as a constant so it is not removed.
 - Best case: kN ; average case: kN ; worst case: kN

Radix Sort (10)

- Radix sort for strings?
- List of words: dab, add, fee, bee, ace, eba

Extra exercises on linked lists

- Question 1) Write a function that takes two sorted linked lists and return true if the lists are disjoint lists (meaning they have no common elements). Use iterations to solve this question.
- Question 2) Write a recursive function that takes two sorted linked lists and return true if the lists are disjoint lists (meaning they have no common elements). Your algorithm should be $O(n)$.
- Question 3) Write a function to reverse a given doubly linked list.

Extra exercises on linked lists

- Question 4) Write a function called `concat()` that receives two lists and append the first one to the second.
- Question 5) Given a singly linked list, write a function to swap elements pairwise.

For example, if the linked list is 1->2->3->4->5 then the function should change it to 2->1->4->3->5, and if the linked list is 1->2->3->4->5->6 then the function should change it to 2->1->4->3->6->5.

Extra exercises on linked lists

- Question 6) Write a function called `RemoveDuplicates()` that takes a list sorted in increasing order and deletes any duplicate nodes from the list.
- Question 7) Write an iterative `Reverse()` function that reverses a list by rearranging all the `.next` pointers and the head pointer.