



Faculty of Engineering and Tecnology
Computer Science Department

SQL

Chapter 5

SQL – Introduction

- Standard DML/DDL for relational DB's
 - DML = “Data Manipulation Language” (queries, updates)
 - DDL = “Data Definition Language” (create tables, indexes, ...)
- Also includes:
 - view definition
 - security
 - integrity constraints
 - transactions
- History:
 - System R project at IBM: “SEQUEL”
 - later, becomes standard: Structured Query Language

Banking Example

branch (branch-name, branch-city, assets)

customer (customer-name, customer-street, customer-other)

account (account-number, branch-name, balance)

loan (loan-number, branch-name, amount)

depositor (customer-name, account-number)

borrower (customer-name, loan-number)

A Simple SELECT-FROM-WHERE Query

```
SELECT bname
FROM loan
WHERE amt > 1000
```

bname	lno	amt
Downtown	L-170	3000
Redwood	L-230	4000
Perry	L-260	1700
Redwood	L-450	3000

Similar to:

$$\pi_{\text{bname}} (\sigma_{\text{amt} > 1000} (\text{loan}))$$

But not quite....

Why preserve duplicates?

bname
Downtown
Redwood
Perry
Redwood

- eliminating them is costly
- often, users don't care
- can also write:


```
SELECT DISTINCT bname
FROM loan
WHERE amt > 1000
```

Duplicates are retained,
i.e. result not a set

Another query

```
SELECT cname, balance
FROM   depositor, account
WHERE  depositor.acct_no = account.acct_no
```

depositor (customer-name, account-number)
account (account-number, branch-name, balance)

Similar to :

π cname, balance (depositor \bowtie account)

cname	balance
Johnson	500
Smith	400
Turner	350
Smith	300
Jones	240
Smith	300

Note: you can also write

```
SELECT cname, balance
FROM   depositor AS d, account AS a
WHERE  d.acct_no = a.acct_no
```

In general

```
SELECT  A1, A2, ..., An  
FROM    r1, r2, ..., rm  
[WHERE P]
```

- WHERE clause optional (missing WHERE clause means WHERE is true)

Conceptual Algorithm:

1. FROM clause: cartesian product (X)
 - $t1 \leftarrow r1 \times r2 \times \dots \times rm$
2. WHERE clause: selection (s)
 - $t2 \leftarrow \sigma_P (t1)$
3. SELECT clause: projection (p)
 - $result \leftarrow \pi_{A1, A2, \dots, An} (t2)$

Note: will never be implemented with product (X) !

The SELECT clause

equivalent to projection, despite name

can use “*” to get all attributes

e.g.,

```
SELECT *
```

```
FROM loan
```

can write SELECT DISTINCT to eliminate duplicates

can write SELECT ALL to preserve duplicate (default)

can include arithmetic expressions

e.g.,

```
SELECT bname, acct_no, balance*1.05
```

```
FROM account
```

The WHERE clause

- equivalent to selection, despite name...
- WHERE predicate can be:
 - Simple:
attribute relop attribute or constant
(relop: <, >, =, ≠, ³, ¹)
 - Complex: using AND, OR, NOT, BETWEEN
- e.g.

```
SELECT lno  
FROM loan  
WHERE amt BETWEEN  
9000 AND 10000
```

```
SELECT lno  
FROM loan  
WHERE amt >= 9000 AND amt <= 10000
```


Formal Semantics of SQL

- RA can only express SELECT DISTINCT queries
- to express SQL, must extend to a **bag algebra** ,
a bag (aka: multiset) like sets, but can have duplicates

e.g. { 4, 5, 4, 6 }

e.g.

balances =

cname	balance
Johnson	500
Smith	400
Turner	350
Smith	300
Jones	240
Smith	300


The FROM clause

- Equivalent to cartesian product (X)
(or \bowtie depending on the WHERE clause)
- binds tuples in relations to variable names
- e.g.: **FROM** borrower, loan
 - computes: borrower x loan
 - identifies borrower, loan columns (attrs) in the results

e.g. allowing one to write:

WHERE borrower.Ino = loan.Ino

FROM borrower b, loan l
WHERE b.Ino = l.Ino



- Simplifies the expression
- Needed for self-joins

More SQL: Range variables

1. Using AS in **FROM** clause
introduces tuple variables

e.g.:

```
SELET DISTINCT T.bname
FROM branch AS T, branch AS S
WHERE T.assets > S.assets
```

2. Using AS in **SELECT** clause

renames columns in result (ρ)

e.g.:

```
SELET bname, acct_no, balance*1.05 AS newbal
FROM account
```



bname	acct_no	newbal
Downtown	A-170	450
Redwood	A-230	400

SQL - String Operations

- SQL includes a string-matching operator
- percent (%): zero or more characters.
- underscore (_): exactly one character.
- E.g. Find the names of all customers whose street includes the substring “Main”.

```
SELECT customer-name
FROM   customer
WHERE  cstreet LIKE '%Main%'
```

- E.g. Find the names of all customers whose names begin with A and end with b and consists at least three characters.

```
SELECT customer-name
FROM   customer
WHERE  customer-name LIKE 'A_%B'
```

More SQL: Set operations

Example Queries:

(SELECT cname FROM depositor)

?

(SELECT cname FROM borrower)

? = UNION

- returns names of customers with saving accts, loans, or both

? = INTERSECT

- returns names of customers with saving accts AND loans

? = EXCEPT

- returns names of customers with saving accts but NOT loans

Order by

Example: List in alphabetical order, the names of all customers with loans at Kenmore branch:

```
SELECT DISTINCT cname
FROM   borrower b, loan l
WHERE  b.lno = l.lno AND bname = "Kenmore"
ORDER BY cname
```

Result: cname
Adams
Byers
Smith
.....

can also write:

```
ORDER BY cname DESC or
ORDER BY cname ASC (default)
```

like SELECT DISTINCT, very expensive...

Aggregate Operators

- Aggregate Operators:

AVG (col): average of values in col
 MIN (col) : minimum value in col
 MAX (col): maximum value in col
 SUM (col): sum of values in col
 COUNT (col): number of values in col

Examples:

1. Find the average acct balance @ Perry:

```
SELECT AVG (bal)
FROM account
WHERE bname = "Perry"
```

account (acct_no, bname, bal)

2. Find the number of tuples in customer:

```
SELECT COUNT(*)
FROM customer
```

3. Find the number of depositors

```
SELECT COUNT( DISTINCT cname)
FROM depositor
```

COUNT, SUM, AVG
 have a DISTINCT version

Aggregates and Group By

- Usually, aggregates used with “Group By”
- E.g.

```
SELECT  bname, COUNT (DISTINCT cname)
FROM    depositor d, account a
WHERE   d.acct_no = a.acct_no
GROUP BY bname
```

depositor (customer-name, account-number)
account (account-number, branch-name, balance)

Result:

bname	COUNT
Downtown	2
Mianus	5
Perry	1
Brighton	5
Kenmore	7

Aggregates and Group By

Intuition behind “Group By”

```
SELECT  bname, COUNT (DISTINCT cname)
FROM    depositor d, account a
WHERE   d.acct_no = a.acct_no
GROUP BY bname
```

Step 1: “Group “ results of join

bname	a.acct_no	balance	cname	d.acct_no
Downtown	A-101	500	Johnson	A-101
Mianus	A-215	700	Smith	A-215
Perry	A-102	400	Hayes	A-102
Brighton	A-202	900	Johnson	A-202
Brighton	A-217	800	Jones	A-217
Kenmore	A-305	700	Smith	A-305
Kenmore	A-232	600	Lindsay	A-232

Step 2: aggregate on groups and project on result

bname	COUNT

Downtown	1
Mianus	1
Perry	1
Brighton	2
Kenmore	2

Group By

- Another example:

branch(bname, bcity, assets)

```
SELECT    bname, SUM(assets) as total
FROM      branch
GROUP BY  bcity
```

Result ??

bname	total
-----	-----
Redwood	2.1M
Pownal	0.3M
N. Town	3.7M
?????	2M
?????	10.1M

Above query is NOT allowed

Non-aggregated values in SELECT clause (e.g., bname) must also appear in GROUP BY clause

```
SELECT    A1, A2, ..., Ak, Agg1(), ....., Aggi()
FROM      .....
WHERE     .....
GROUP BY  A1, A2, ..., Ak, Ak+1, ..., An
```

HAVING

WHERE :: FROM as HAVING :: GROUP BY

- HAVING P: selects rows from result of GROUP BY
- Optional (missing HAVING means TRUE)

Example: Find names of branches and the average account balance for those branches having average account balance > \$1200

```
SELECT bname, AVG(balance) AS avg  
FROM account  
GROUP BY bname  
HAVING avg > 1200
```

NULLs

can be a value for any attribute

e.g. :

branch2=

bname	bcity	assets
Downtown	Boston	9M
Perry	Horse	1.7M
Mianus	Horse	.4M
Kenmore	Boston	NULL

What does this mean?

- We don't know Kenmore's assets?
- Kenmore has no assets?
-

Effect on Queries:

SELECT * FROM branch2
WHERE assets = NULL

bname	bcity	assets
-------	-------	--------

SELECT * FROM branch2
WHERE assets IS NULL

bname	bcity	assets
Kenmore	Boston	NULL

NULLs

- Arithmetic with nulls:

- $n \text{ op null} = \text{null}$

op : +, -, *, /

```
SELECT .....  
FROM .....  
WHERE boolexp IS UNKNOWN
```

- Booleans with nulls: One can write:

3-valued logic (true, false, unknown)

What expressions evaluate to UNKNOWN?

1. Comparisons with NULL (e.g. $\text{assets} = \text{NULL}$)
2. FALSE OR UNKNOWN (but: TRUE OR UNKNOWN = TRUE)
3. TRUE AND UNKNOWN
4. UNKNOWN AND/OR UNKNOWN

NULLS

Given:

branch2=

bname	bcity	assets
Downtown	Boston	9M
Perry	Horse	1.7M
Mianus	Horse	.4M
Kenmore	Boston	NULL


Aggregate operations:

SELECT SUM(assets)
FROM branch2

returns

SUM

11.1M



NULL is ignored
Same for AVG, MIN, MAX

But.... COUNT(assets) returns 4!

Let branch3 an empty relation

Then: SELECT SUM(assets)
FROM branch3 returns NULL

but COUNT(<empty rel>) = 0

Review - Summary

account (acct_no, bname, balance)
branch(bname, bcity, assets)

```
SELECT    bcity, sum(balance) AS totalbalance
FROM      branch b, account a
WHERE     b.bname=a.bname AND assets >= 1M
GROUP BY  bcity
HAVING    totalbalance > 700
ORDER BY  bcity DESC
```

Steps 1,2 : FROM, WHERE

b.bname	bcity	assets	a.bname	acct_no	balance
Downtown	Bkln	9M	Downtown	A-101	500
Redwood	Palo Alto	2.1M	Redwood	A-215	700
Perry	Horse	1.7M	Perry	A-102	400
RH	Horse	8M	RH	A-202	350
Brighton	Bkln	7.1M	Brighton	A-305	900
Brighton	Bkln	7.1M	Brighton	A-217	750

Summary thus far

Steps 3,4 : GROUP BY, SELECT

bcity	totalbalance
Bkln	2150
Palo Alto	700
Horse	750

Steps 5 : HAVING

bcity	totalbalance
Bkln	2150
Horse	750

Steps 6 : ORDER BY

bcity	totalbalance
Horse	750
Bkln	2150

Summary thus far

Clause	Evaluation Order	Semantics (RA)
SELECT[DISTINCT]	4	π
FROM	1	X
WHERE	2	σ
INTO	7	\leftarrow
GROUP BY	3	Can't express
HAVING	5	σ
ORDER BY	6	Can't express

Find sailors who've reserved at least one boat

```
SELECT S.sid  
FROM Sailors S, Reserves R  
WHERE S.sid=R.sid
```

- **What is the effect of replacing *S.sid* by *S.sname* in the SELECT clause?**
 - Would adding DISTINCT to this variant of the query make a difference?

Find sid' s of sailors who' ve reserved a red or a green boat

- **UNION**: Can be used to compute the union of any two *union-compatible* sets of tuples (which are themselves the result of SQL queries).

```
SELECT R.sid
      FROM Boats B,Reserves R
WHERE R.bid=B.bid AND
      (B.color='red' OR B.color='green')
```

Vs.

```
SELECT R.sid
      FROM Boats B, Reserves R
WHERE R.bid=B.bid AND B.color='red'
UNION
SELECT R.sid
      FROM Boats B, Reserves R
WHERE R.bid=B.bid AND B.color='green'
```

Find sid' s of sailors who've reserved a red but did not reserve a green boat

```
SELECT S.sid
FROM Sailors S, Boats B,
     Reserves R
WHERE S.sid=R.sid
      AND R.bid=B.bid
      AND B.color='red'
```

EXCEPT

```
SELECT S.sid
FROM Sailors S, Boats B,
     Reserves R
WHERE S.sid=R.sid
      AND R.bid=B.bid
      AND B.color='green'
```

Find the sailors who are older than any sailor named Ahmad ordered in descending

Select *

From Sailor s

Where s.age > (select s2.age
from sailor s2
where s2.sname LIKE 'Ahmad%')


ORDER BY sname DESC, age ASC

- *Find the average age of sailors with a rating of 10.*

-

```
SELECT AVG (S.age)
FROM Sailors S
WHERE S.rating = 10
```

Find the name and age of the oldest sailor

- 
 (S.age)
- ```
SELECT S.sname, S.age
FROM Sailors S
WHERE S.age = (SELECT MAX (S2.age)
FROM Sailors S2)
```
- If the SELECT clause uses aggregate operators, then it must use only aggregate operators unless the query contains a GROUP BY clause

*Find the names of sailors who are older than the oldest sailor with a rating of 10.*

- SELECT S.sname  
FROM Sailors S  
WHERE S.age > ( SELECT MAX ( S2.age ) FROM Sailors S2  
WHERE S2.rating = 10 )



# *Find the age of the youngest sailor for each rating level*

- SELECT s.rating, MIN(s.age)
- FROM sailors s
- GROUP BY s.rating

*Find the age of the youngest sailor who is eligible to vote (i.e., is at least 18 years old) for each rating level with at least two such sailors.*

- SELECT S.rating, MIN (S.age) AS minage  
FROM Sailors S  
WHERE S.age >= 18  
GROUP BY S.rating  
HAVING COUNT (\*) > 1

# How this query evaluated

1. Cross-product for tables in from-list
2. Apply WHERE
3. Eliminate unwanted columns not mentioned in select-list
4. Sort the table according to GROUP BY clause
5. Apply HAVING
6. Apply aggregate operators

# Find number of reservations for each red boat

```
SELECT B.bid, COUNT (*) AS reservationcount
FROM Boats B, Reserves R
WHERE R.bid = B.bid AND B.color = 'red'
GROUP BY B.bid
```

```
SELECT B.bid, COUNT (*) AS reservationcount
FROM Boats B, Reserves R
WHERE R.bid = B.bid AND B.color = 'red'
GROUP BY B.bid
```



