

Exception Handling and Text IO



By: Mamoun Nawahdah (Ph.D.)
2022

Runtime Error?

```
import java.util.Scanner;

public class Quotient {
    public static void main(String[] args) {
        Scanner input = new Scanner(System.in);

        // Prompt the user to enter two integers
        System.out.print("Enter two integers: ");
        int number1 = input.nextInt();
        int number2 = input.nextInt();

        System.out.println(number1 + " / " + number2 + " is " +
            (number1 / number2));
    }
}
```



Fix it Using an **if** Statement

```
import java.util.Scanner;

public class QuotientWithIf {
    public static void main(String[] args) {
        Scanner input = new Scanner(System.in);

        // Prompt the user to enter two integers
        System.out.print("Enter two integers: ");
        int number1 = input.nextInt();
        int number2 = input.nextInt();


        if (number2 != 0)
            System.out.println(number1 + " / " + number2 + " is " +
                (number1 / number2));
        else
            System.out.println("Divisor cannot be zero ");
    }
}
```



3

Exception Handling

- ❖ Exception handling technique enables a method to **throw** an exception to its caller.
- ❖ Without this capability, a method must handle the exception or terminate the program.



ex-cep-tion  *noun* \ɪk-'sep-shən\

: someone or something that is different from others :
someone or something that is not included


: a case where a rule does not apply



4




Exceptions



- ❖ **Exception** describes errors caused by **your program** and external circumstances.
- ❖ These errors can be caught and handled by your program.

7

Runtime Exceptions



- ❖ **RuntimeException** is caused by **programming errors**, such as bad casting, accessing an out-of-bounds array, and numeric errors.

8

Checked Exceptions vs. Unchecked Exceptions

- ❖ **RuntimeException, Error** and their subclasses are known as **unchecked exceptions**.
- ❖ All other exceptions are known as **checked exceptions**, meaning that the compiler forces the programmer to check and deal with the exceptions.



9


Unchecked Exceptions

- ❖ In most cases, unchecked exceptions reflect programming **logic errors** that are not recoverable.
- ❖ For example:
 - a **NullPointerException** is thrown if you access an object through a reference variable before an object is assigned to it.
 - an **IndexOutOfBoundsException** is thrown if you access an element in an array outside the bounds of the array.
- ❖ These are the logic errors that should be corrected in the program.



10

Declaring, Throwing, and Catching Exceptions



Declaring Exceptions

- ❖ Every method **must** state the types of checked exceptions it might **throw**.
- ❖ This is known as **declaring exceptions**.

```
public void x() throws IOException
```

```
public void y() throws IOException, OtherException
```

Throwing Exceptions

- ❖ When the program detects an error, the program can create an **instance** of an appropriate exception type and throw it.
- ❖ This is known as **throwing an exception**.

```
throw new TheException();
```

```
TheException ex = new TheException();  
throw ex;
```



13

Throwing Exceptions Example

```
public void setRadius(double newRadius)  
    throws IllegalArgumentException {  
    if (newRadius >= 0)  
        radius = newRadius;  
    else  
        throw new IllegalArgumentException(  
            "Radius cannot be negative");  
}
```



14

Catching Exceptions

```
try {
    statements; // Statements that may throw exceptions
}
catch (Exception1 exVar1) {
    handler for exception1;
}
catch (Exception2 exVar2) {
    handler for exception2;
}
...
catch (ExceptionN exVar3) {
    handler for exceptionN;
}
```



15

Catch or Declare Checked Exceptions

Suppose **p2** is defined as follow:

```
void p2() throws IOException {
    if (a file does not exist) {
        throw new IOException("File does not exist");
    }
    ...
}
```



Catch or Declare Checked Exceptions

- ❖ Java forces you to deal with checked exceptions.
 - You must invoke it in a **try-catch** block **or**
 - declare to **throw** the exception in the calling method.
- ❖ For example, suppose that method **p1** invokes method **p2**, you have to write the code as follow:

```
void p1() {
    try {
        p2();
    }
    catch (IOException ex) {
        ...
    }
}
```

(a)

```
void p1() throws IOException {
    p2();
}
```

(b)

17



```
1  public class CircleWithException {
2      /** The radius of the circle */
3      private double radius;
4
5      /** The number of the objects created */
6      private static int numberOfObjects = 0;
7
8      /** Construct a circle with radius 1 */
9      public CircleWithException() {
10         this(1.0);
11     }
12
13     /** Construct a circle with a specified radius */
14     public CircleWithException(double newRadius) {
15         setRadius(newRadius);
16         numberOfObjects++;
17     }
18
19     /** Return radius */
20     public double getRadius() {
21         return radius;
22     }
}
```

```

24     /** Set a new radius */
25     public void setRadius(double newRadius)
26         throws IllegalArgumentException {
27         if (newRadius >= 0)
28             radius = newRadius;
29         else
30             throw new IllegalArgumentException(
31                 "Radius cannot be negative");
32     }
33
34     /** Return numberOfObjects */
35     public static int getNumberOfObjects() {
36         return numberOfObjects;
37     }
38
39     /** Return the area of this circle */
40     public double findArea() {
41         return radius * radius * 3.14159;
42     }
43 }

```

```

1  public class TestCircleWithException {
2      public static void main(String[] args) {
3          try {
4              CircleWithException c1 = new CircleWithException(5);
5              CircleWithException c2 = new CircleWithException(-5);
6              CircleWithException c3 = new CircleWithException(0);
7          }
8          catch (IllegalArgumentException ex) {
9              System.out.println(ex);
10         }
11
12         System.out.println("Number of objects created: " +
13             CircleWithException.getNumberOfObjects());
14     }
15 }

```



Rethrowing Exceptions

```
try {  
    statements;  
}  
catch(TheException ex) {  
    perform operations before exits;  
    throw ex;  
}
```



21

When to Throw Exceptions

- ❖ An exception occurs in a method.
- ❖ If you want the exception to be processed by its caller, you should create an exception object and throw it.
- ❖ If you can handle the exception in the method where it occurs, there is no need to throw it.

When to Use Exceptions

- ❖ You should use it to deal with **unexpected** error conditions.



22

Caution!

- ❖ Do not use exception to deal with simple, expected situations.
- ❖ For example, the following code:

```
try {
    System.out.println(refVar.toString());
}
catch (NullPointerException ex) {
    System.out.println("refVar is null");
}
```

- ❖ is better to be replaced by:

```
if (refVar != null)
    System.out.println(refVar.toString());
else
    System.out.println("refVar is null");
```



23

The File Class

- ❖ The **File** class is intended to provide an abstraction that deals with most of the machine-dependent complexities of files and path names in a machine-independent fashion.
- ❖ The filename is a string.
- ❖ The **File** class is a wrapper class for the file name and its directory path.



24

File class

java.io.File	
+File(pathname: String)	Creates a File object for the specified path name. The path name may be a directory or a file.
+File(parent: String, child: String)	Creates a File object for the child under the directory parent. The child may be a file name or a subdirectory.
+File(parent: File, child: String)	Creates a File object for the child under the directory parent. The parent is a File object. In the preceding constructor, the parent is a string.
+exists(): boolean	Returns true if the file or the directory represented by the File object exists.
+canRead(): boolean	Returns true if the file represented by the File object exists and can be read.
+canWrite(): boolean	Returns true if the file represented by the File object exists and can be written.
+isDirectory(): boolean	Returns true if the File object represents a directory.
+isFile(): boolean	Returns true if the File object represents a file.
+isAbsolute(): boolean	Returns true if the File object is created using an absolute path name.
+isHidden(): boolean	Returns true if the file represented in the File object is hidden. The exact definition of <i>hidden</i> is system-dependent. On Windows, you can mark a file hidden in the File Properties dialog box. On Unix systems, a file is hidden if its name begins with a period(.) character.



25

File class

+getAbsolutePath(): String	Returns the complete absolute file or directory name represented by the File object.
+getCanonicalPath(): String	Returns the same as <code>getAbsolutePath()</code> except that it removes redundant names, such as <code>..</code> and <code>./</code> , from the path name, resolves symbolic links (on Unix), and converts drive letters to standard uppercase (on Windows).
+getName(): String	Returns the last name of the complete directory and file name represented by the File object. For example, <code>new File("c:\\book\\test.dat").getName()</code> returns <code>test.dat</code> .
+getPath(): String	Returns the complete directory and file name represented by the File object. For example, <code>new File("c:\\book\\test.dat").getPath()</code> returns <code>c:\\book\\test.dat</code> .
+getParent(): String	Returns the complete parent directory of the current directory or the file represented by the File object. For example, <code>new File("c:\\book\\test.dat").getParent()</code> returns <code>c:\\book</code> .
+lastModified(): long	Returns the time that the file was last modified.
+length(): long	Returns the size of the file, or 0 if it does not exist or if it is a directory.
+listFile(): File[]	Returns the files under the directory for a directory File object.
+delete(): boolean	Deletes the file or directory represented by this File object. The method returns true if the deletion succeeds.
+renameTo(dest: File): boolean	Renames the file or directory represented by this File object to the specified name represented in <code>dest</code> . The method returns true if the operation succeeds.
+mkdir(): boolean	Creates a directory represented in this File object. Returns true if the directory is created successfully.
+mkdirs(): boolean	Same as <code>mkdir()</code> except that it creates directory along with its parent directories if the parent directories do not exist.



26

Text I/O

- ❖ A **File** object encapsulates the properties of a file or a path, but does not contain the methods for reading/writing data from/to a file.
- ❖ In order to perform I/O, you need to create objects using appropriate Java I/O classes.
- ❖ The objects contain the methods for reading/writing data from/to a file.
- ❖ This section introduces how to read/write strings and numeric values from/to a text file using the **Scanner** and **PrintWriter** classes.



27

PrintWriter class

java.io.PrintWriter	
+PrintWriter(filename: String)	Creates a PrintWriter for the specified file.
+print(s: String): void	Writes a string.
+print(c: char): void	Writes a character.
+print(cArray: char[]): void	Writes an array of character.
+print(i: int): void	Writes an int value.
+print(l: long): void	Writes a long value.
+print(f: float): void	Writes a float value.
+print(d: double): void	Writes a double value.
+print(b: boolean): void	Writes a boolean value.
Also contains the overloaded println methods.	A println method acts like a print method; additionally it prints a line separator. The line separator string is defined by the system. It is \r\n on Windows and \n on Unix. The printf method was introduced in §3.6, "Formatting Console Output and Strings."
Also contains the overloaded printf methods.	



28

Scanner class

java.util.Scanner	
+Scanner(source: File)	Creates a Scanner object to read data from the specified file.
+Scanner(source: String)	Creates a Scanner object to read data from the specified string.
+close()	Closes this scanner.
+hasNext(): boolean	Returns true if this scanner has another token in its input.
+next(): String	Returns next token as a string.
+nextByte(): byte	Returns next token as a byte.
+nextShort(): short	Returns next token as a short.
+nextInt(): int	Returns next token as an int.
+nextLong(): long	Returns next token as a long.
+nextFloat(): float	Returns next token as a float.
+nextDouble(): double	Returns next token as a double.
+useDelimiter(pattern: String): Scanner	Sets this scanner's delimiting pattern.



29

Problem: Replacing Text

- ❖ Write a class named **ReplaceText** that replaces a string in a text file with a new string. The filename and strings are passed as command-line arguments as follows:

➤ **java ReplaceText sourceFile targetFile oldString newString**



30