

	Interface type
Type of Interfaces	Interface type 1. Command-based 2. WIMP and GUI 3. Multimedia 4. Virtual reality 5. Information visualization 6. Web 7. Consumer electronics and appliances 8. Mobile 9. Speech 10. Pen 11. Touch 12. Air-based gesture 13. Haptic 14. Multimodal
	15. Shareable 16. Tangible 17. Augmented and mixed reality
	18. Wearable19. Robotic20. Brain–computer

1. Command-based

Commands such as abbreviations (e.g. ls/dir) typed in at the prompt to which the system responds (e.g. *listing current files*).

Some are hard wired at keyboard, others can be assigned to keys.

***** Efficient, precise, and fast.

Large overhead to learning set of commands.

Research and Design Issues

Form, name types and structure are key research questions.

Consistency is most important design principle.

• e.g. always use first letter of command.

Command interfaces popular for web scripting.



2. WIMP and GUI

★ Xerox Star first WIMP → rise to GUIs.

Windows

 could be scrolled, stretched, overlapped, opened, closed, and moved around the screen using the mouse.

Icons

 represented applications, objects, commands, and tools that were opened when clicked on.

Menus

 offering lists of options that could be scrolled through and selected.

Pointing device

- a mouse controlling the cursor as a point of entry to the
 - windows, menus, and icons on the screen.


GUIs

- Same basic building blocks as WIMPs but more varied:
 - Color, 3D, sound, animation.
 - Many types of menus, icons, windows.
- ✤ New graphical elements, e.g.
 - Toolbars, docks, rollovers.
- Challenge now is to design GUIs that are best suited for tablet, smartphone and smartwatch interfaces



- Windows were invented to overcome physical constraints of a computer display.
 - Enable more information to be viewed and tasks to be performed.
- Scrollbars within windows also enable more information to be viewed.
- Multiple windows can make it difficult to find desired one.

Listing, iconising, shrinking are techniques
 that help.







F	G	н	1	J
Fiji Finland France French Guyana French Polynesia	Gabon Germany Gibraltar Greece Greenland Guadeloupe Guam Guatemala	Haiti Holland Honduras Hong Kong Hungary	Iceland India Indonesia Iran Ireland Israel Italy Ivory Coast	Jamaica Japan Jordan

Research and Design Issues

✤ Window management.

- Enables users to move easily between different windows (and monitors).
- How to switch attention between windows without getting distracted.
- Design principles of spacing, grouping, and simplicity should be used.

Menus


✤ A number of menu interface styles.

 flat lists, drop-down, pop-up, contextual, and expanding ones, e.g., scrolling and cascading.

Flat menus:

- Good at displaying a small number of options at the same time and where the size of the display is small, e.g. iPods.
- But have to nest the lists of options within each other, requiring several steps to get to the list with the desired option.

Moving through previous screens can be tedious.



Expanding Menus

- Enables more options to be shown on a single screen than is possible with a single flat menu.
- More flexible navigation, allowing for selection of options to be done in the same window.
- Most popular are cascading ones.
 - Primary, secondary and even tertiary menus.
 - Downside is that they require **precise** mouse control.

17

Can result in overshooting or selecting wrong
 options.

ascading Menu								
1	☆ 🗊 🔍	Redstone	Comm	ander 🗿 🗙 📀 S	2 💐 🏈		To editor	
1	bootlog toc			Name	Туре	Link target	Size	
Choices	borland_kylix_			.xowave	D		4.00 KB	
Desktop	🔄 driverguide.ps	Den File 🔹		,xplore	D		4.00 KB	
evolution	d editor.jpg	🧏 My Table 🔹 🕨		Add new	F		125 bytes 9.51 KB	
De Mail	filemanager.jp; (〕 <u>P</u> ackage 🕨		<u>M</u> anage	F		24 bytes	
indstone	install.log	💕 Utility 🔹 🕨		Quick File	F		543 byte:	
b shelf	install.log.sysk	Select all	-	Quick Folder	Add new		566 byte: 679 byte:	
i snen		Invert Select	M	Quick Mount	Manage		3.07 KB	
bootlog.aux	🗇 a dflatau fast			Quick Programs	The second se		84 bytes 33.15 KB	
bootlog.brf	🚡 pdflatex.html 🔮		10		LinuxWork Fold	ier •	380 bytes	
📓 bootlog.dvi	📓 pdflatex.log 💄	New directory		Quick Script	Scripts Folder	•	321 bytes	
Dootlog.idx	screen_blue-32	<u>R</u> ename		bootlog ind bootlog iof	Postscript Fold	er 🕨	351 byte: 189 byte:	
bootlog.ilg	🧕 segusoLand-de	🗴 <u>D</u> elete		b <u>A</u> dd new	📦 P <u>D</u> F Folder		16.60 KB	
bootlog.ind	itexput.log	🖌 Recover trash		b <u>M</u> anage	📦 <u>W</u> eb Folder		1.25 KB 69.85 KB	
bootlog.lof	texsys.aux	Empty trash bin		b 🎬 /000/	i Mail Folder		18.47 KB	
bootlog.log	-	File info		b oonogroe	Picture Folder		88.13 KB	
bootlog.pdf		Elle uno		borland_kylix_install_log	Music Folder		3.17 KB 3.17 KB	
boodog.pdi				driverguide.ps	Music Folder		13.20 KE	

Contextual Menus (pop-up menu)

- Provide access to often-used commands that make sense in the context of a current task.
- Appear when the user presses the Control key while clicking on an interface element.
 - e.g., Right clicking on a photo in a website results in options 'open it in a new window,' 'save it,' or 'copy it'.

Helps overcome some of the navigation
 problems associated with cascading menus.



Research and Design Issues

What are best names/labels/phrases to use?

- Placement in list is critical.
 - Quit and Save need to be far apart.
- Choice of menu to use determined by application and type of system
 - Flat menus are best for displaying a small number of options at one time.
 - Expanding menus are good for showing a large number of options.

Icon Design

- Icons are assumed to be easier to learn and remember than commands.
- Can be designed to be compact and variably positioned on a screen.
- Now found in every interface.
 - e.g. represent desktop objects, tools (e.g. paintbrush), applications (e.g. web browser), and operations (e.g. cut, paste, next, accept, change).

22

lcons

Since the Xerox Star days, icons have changed in their look and feel:

 Black and white → color, shadowing, photorealistic images, 3D rendering, and animation.


Many designed to be very detailed and animated making them both visually attractive and informative.

GUIs now highly inviting, emotionally appealing, and feel alive.


Icon Forms

The mapping between the representation and underlying referent can be:

- Similar (a picture of a file to represent the object file).
- Analogical (a picture of scissors to represent 'cut').
- Arbitrary (the use of an X to represent 'delete').
- Most effective icons are similar ones.
- Many operations are actions making it more difficult to represent them.
 - Use a combination of objects and symbols that capture the salient part of an action.








Activity Sketch simple icons to represent the following operations to appear on a digital camera screen: Turn image 90 degrees sideways Auto-enhance the image Fix red-eye Crop the image Show them to someone else and see if they can understand what each represents

29

Research and Design Issues

- There is a wealth of resources now so do not have to draw or invent new icons from scratch.
 - Guidelines, style guides, icon builders, libraries.
- Text labels can be used alongside icons to help identification for small icon sets.
- For large icon sets (e.g. photo editing or word processing) use rollovers.



3. Multimedia

Combines different media within a single interface with various forms of interactivity.

- Graphics, text, video, sound, and animations.
- Users click on links in an image or text:
 - \rightarrow another part of the program.
 - \rightarrow an animation or a video clip is played.
 - \rightarrow can return to where they were or move on to another place.



33

34

Pros and Cons

- Facilitates rapid access to multiple representations of information.
- Can provide better ways of presenting information than can any media alone.
- Can enable easier learning, better understanding, more engagement, and more pleasure.
- Can encourage users to explore different parts of a game or story.
- Tendency to play video clips and animations, while skimming through accompanying text or diagrams.

4. Virtual Reality

- Computer-generated graphical simulations providing:
 - "The illusion of participation in an artificial environment rather than external observation of such an environment".
- Provide new kinds of experience, enabling users to interact with objects and navigate in 3D space.

Create highly engaging user experiences.


Virtual Gorilla Project



Pros and Cons

- Can have a higher level of fidelity with objects they represent compared to multimedia.
- Induces a sense of presence where someone is totally engaged by the experience.
- Provides different viewpoints: 1st and 3rd person.
- Head-mounted displays are uncomfortable to wear, and can cause motion sickness and disorientation.







39


Design Issues

- How to control interactions and movements (e.g. use of head and body movements).
- How best to interact with information (e.g. use of keypads, pointing, joystick buttons);

Level of realism to aim for to produce a sense of presence

5. Information Visualization


- Computer-generated interactive graphics of complex data.
- Amplify human cognition, enabling users to see patterns, trends, and variances in the visualization.
- Aim is to enhance discovery, decision-making, and explanation of phenomena.
- Techniques include:
 - 3D interactive maps that can be zoomed in and out of and which present data via webs, trees, clusters,
 - scatterplot diagrams, and interconnected nodes.



Dashboards

- Show screenshots of data updated over periods of time to be read at a glance
- Usually not interactive slices of data that show current state of a system or process
- Need to provide easy and legible information for users
 - design its spatial layout so intuitive to read when first looking at it
 - should also direct a user's attention to differences or unexpected situations





Research and Design Issues

Whether to use animation and/or interactivity.

- What form of coding to use (color or text labels).
- Whether to use a 2D or 3D representational format.
- What forms of navigation (zooming or panning).
- What kinds and how much additional information to provide (rollovers or tables of text)

45

46

What navigational metaphor to use.

6. Web

Early websites were largely text-based, providing hyperlinks.

Concern was with how best to structure information at the interface to enable users to navigate and access it easily and quickly.

Nowadays, more emphasis on making pages distinctive, striking, and pleasurable.

Need to think of how to design information for multi-platforms - keyboard or touch?

e.g. smartphones, tablets, PCs

Usability vs. Attractive?

Vanilla or multi-flavor design?

- Ease of finding something vs. beautiful and enjoyable experience.
- Web designers are:
 - "thinking great literature".
- Users read the web like a:
 - "billboard going by at 60 miles an hour".


 Need to determine how to brand a web page to catch and keep 'eyeballs'.

In your face ads

- Web advertising is often intrusive (منتشرة) and pervasive
- Flashing, aggressive, persistent (مستمر), annoying.
- Often need to be 'actioned' to get rid of.
- What is the alternative?



- Need to consider how best to design, present, and structure information and system behavior.
- But also content and navigation are central.
- Veen's design principles:
 - (1) Where am I?
 - (2) Where can I go?
 - (3) What's here?







7. Consumer Electronics and Appliances

- Everyday devices in home, public place, or car.
 - e.g. washing machines, remotes, photocopiers, printers and navigation systems).
- ✤ And personal devices.
 - e.g. MP3 player, digital clock and digital camera.
- Used for short periods.
 - e.g. putting the washing on, watching a program, buying a ticket, changing the time, taking a snapshot.

♦ Need to be **usable with minimal**, if any, **learning**.



Research and Design Issues


- Need to design as brief interfaces with short interactions.
- Simple interfaces.
- Consider trade-off between soft and hard controls.
 - e.g. buttons or keys, dials or scrolling.

8. Mobile

- Handheld devices intended to be used while on the move.
- Have become pervasive, increasingly used in all aspects of everyday and working life.
- Applications running on handhelds have greatly expanded, e.g.
 - Used in restaurants to take orders.
 - Car rentals to check in car returns.
 - Supermarkets for checking stock.
 - In the streets for multi-user gaming.
 - In education to support life-long learning.

The Start of the iPhone app


- A whole new user experience that was designed primarily for people to enjoy.
 - Many apps not designed for any need, want or use but purely for idle moments to have some fun.
 - e.g. iBeer developed by Steve Sheraton.
 - Clever use of the accelerometer that is inside the phone.





Mobile Challenges

- Small screens, small number of keys and restricted number of controls.
- Many smart phones now use multi-touch surface displays.
- Innovative physical designs including:
 - Roller wheels, rocker dials, up/down 'lips' on the face of phones, 2-way and 4-way directional keypads, softkeys, silkscreened buttons.
- Usability and preference varies.
 - Depends on the skill and commitment of the user.
- Smartphones overcome mobile physical constraints through using multi-touch displays



9. Speech


- Where a person talks with a system that has a spoken language application, e.g., timetable, travel planner.
- Used most for inquiring about very specific information, e.g. flight times or to perform a transaction, e.g. buy a ticket.
- ✤ Also used by people with disabilities.
 - e.g. speech recognition word processors, page scanners, web readers, home control systems



- Most popular use of speech interfaces currently is for call routing.
- Caller-led speech where users state their needs in their own words.
 - e.g. "I'm having problems with my ADSL".
- Idea is they are automatically forwarded to the appropriate service.
- What is your experience of speech systems?

Format

- Directed dialogs are where the system is in control of the conversation.
- ✤ Ask specific questions and require specific responses.
- More flexible systems allow the user to take the initiative:
 - e.g. "I'd like to go to Paris next Monday for two weeks."
- More chance of error, since caller might assume that the system is like a human.
- Guided prompts can help callers back on track.
 - e.g. "Sorry I did not get all that. Did you say you wanted to fly next Monday?".



10. Pen

- Enable people to write, draw, select, and move objects at an interface using lightpens or styluses.
 - Capitalize on the good drawing skills developed from childhood.

Digital pens, e.g. Anoto, use a combination of ordinary ink pen with digital camera that digitally records everything written with the pen on special paper.

Pros and Cons

- Allows users to quickly and easily annotate existing documents.
- Can be difficult to see options on the screen because a user's hand can occlude part of it when writing.



11. Touch

- Touch screens detect the presence and location of a person's touch on the display.
- Multi-touch support a range of more dynamic finger tip actions, e.g. swiping, flicking, pinching, pushing and tapping.
- Now used for many kinds of displays, such as smart phones, iPods, tablets and tabletops.

Research and Design Issues

- More fluid and direct styles of interaction involving freehand and pen-based gestures.
- Core design concerns include whether size, orientation, and shape of touch displays effect collaboration.
- Much faster to scroll through wheels, carousels and bars of thumbnail images or lists of options by finger flicking.
- More cumbersome, error-prone and slower to type using a virtual keyboard on a touch display than using a physical keyboard.



69

12. Air-based Gestures

Uses camera recognition, sensor and computer vision techniques.

- Can recognize people's body, arm and hand gestures in a room.
- Systems include Kinect.
- Movements are mapped onto a variety of gaming motions, such as swinging, bowling, hitting and punching.

Players represented on the screen as avatars doing same actions.

<section-header><section-header><list-item><list-item>

Research and Design Issues

- How does computer recognize and interpret players' gestures?
- Does holding a control device feel more intuitive than controller free gestures?
 - For gaming, exercising, dancing.

13. Haptic

- Tactile (محسوس) feedback.
 - Applying vibration and forces to a person's body, using actuators that are embedded in their clothing or a device they are carrying, such as a cell phone.
- Can enrich user experience or excite them to correct error.
- Can also be used to simulate the sense of touch between remote people who want to communicate.

2

Realtime Vibrotactile Feedback

- Provides nudges when playing incorrectly.
- Uses motion capture.
- Nudges are vibrations on arms and hands.





Research and Design Issues

- Where best to place actuators on body.
- Whether to use single or sequence of 'touches'.
- ✤ When to buzz and how intense.
- How does the wearer feel it in different contexts?

14. Multi-Modal

- Meant to provide enriched and complex user experiences.
 - Multiplying how information is experienced using different modalities, i.e. touch, sight, sound, speech.
 - Support more flexible, efficient, and expressive means of human–computer interaction.
 - Most common is speech and vision.

Research and Design Issues

- Need to recognize and analyse speech, gesture, and eye gaze.
- What is gained from combining different input and outputs.
- Is talking and gesturing, as humans do with other humans, a natural way of interacting with a computer?

15. Shareable

- Shareable interfaces are designed for more than one person to use.
 - Provide multiple inputs and sometimes allow simultaneous input by co-located groups.
 - Large wall displays where people use their own pens or gestures.
 - Interactive tabletops where small groups interact with information using their fingertips.
 - e.g. DiamondTouch, Smart Table and Surface.





Advantages

Provide a large interactional space that can support flexible group working.

Can be used by multiple users.

- Can point to and touch information being displayed.
- Simultaneously view the interactions and have same shared point of reference as others.
- Can support more participation compared with groups using single PC.



- More fluid and direct styles of interaction involving freehand and pen-based gestures.
- Core design concerns include whether size, orientation, and shape of the display have an effect on collaboration.
- Horizontal surfaces compared with vertical ones support more turn-taking and collaborative working in co-located groups.
- Providing larger-sized tabletops does not improve group working but encourages more division of labor.

82

16. Tangible

- Type of sensor-based interaction, where physical objects, e.g., bricks, are coupled with digital representations.
- When a person manipulates the physical object/s it causes a digital effect to occur, e.g. an animation.
- Digital effects can take place in a number of media and places or can be embedded in the physical object.

Examples

Chromarium cubes

- When turned over digital animations of color are mixed on an adjacent wall.
- Faciliates creativity and collaborative exploration.


Flow Blocks


- Depict changing numbers and lights embedded in the blocks.
- Vary depending on how they are connected together.

Urp

- Physical models of buildings moved around on tabletop.
- Used in combination with tokens for wind and shadows → digital shadows surrounding them to change over time.







87


Benefits

Can be held in both hands and combined and manipulated in ways not possible using other interfaces.

- Allows for more than one person to explore the interface together.
- Objects can be placed on top of each other, beside each other, and inside each other.
- Encourages different ways of representing and exploring a problem space.
- People are able to see and understand situations differently.
 - Can lead to greater insight, learning, and problem-solving than with other kinds of interfaces.



Can facilitate creativity and reflection.



17. Augmented and Mixed Reality

- Augmented reality virtual representations are superimposed on physical devices and objects.
- Mixed reality views of the real world are combined with views of a virtual environment.
- Many applications including medicine, games, flying, and everyday exploring

Examples

In medicine


- Virtual objects, e.g. X-rays and scans, are overlaid on part of a patient's body.
- Aid the physician's understanding of what is being examined or operated.

In air traffic control

- Dynamic information about aircraft overlaid on a video screen showing the real planes, etc. landing, taking off, and taxiing.
- Helps identify planes difficult to make out.



90



'Smart' Augmented Reality? * Smartphone apps intended to guide people walking in a city. **•** Arrows and local information (e.g. nearest McDonalds) are overlaid on a picture of the street the person is walking in. **•** Will this mean people spending most of their time glued to their smartphone rather than looking at the sites?

93

94

Research and Design Issues

What kind of digital augmentation?

- When and where in physical environment?
- Needs to stand out but not distract from ongoing task.
- Need to be able to align with real world objects.
- What kind of device?
 - Smartphone, head up display or other?

18. Wearables

- First developments were head- and eyewearmounted cameras that enabled user to record what was seen and to access digital information.
- Since, jewellery, head-mounted caps, smart fabrics, glasses, shoes, and jackets have all been used.
 - Provide the user with a means of interacting with digital information while on the move.
- Applications include automatic diaries, tour guides, cycle indicators and fashion clothing.





Research and Design Issues

Comfort

- Needs to be light, small, not get in the way, fashionable, and preferably hidden in the clothing.
- Hygiene
 - Is it possible to wash or clean the clothing once worn?
- Ease of wear
 - How easy is it to remove the electronic gadgetry and replace it?
- Usability
 - How does the user control the devices that are embedded in the clothing?

97


98

19. Robots and drones

- Four types of robot:
 - Remote robots used in hazardous settings.
 - Domestic robots helping around the house.
 - Pet robots as human companions.
 - Sociable robots that work collaboratively with humans, and communicate and socialize with them – as if they were our

🖢 peers .

<section-header><list-item><list-item><list-item>



<section-header><section-header><image><image>

Research and Design Issues

- How do humans react to physical robots designed to exhibit behaviours (e.g. making facial expressions) compared with virtual ones?
- Should robots be designed to be human-like or look like and behave like robots that serve a clearly defined purpose?
- Should the interaction be designed to enable people to interact with the robot as if it was another human being or more human-computer-like (e.g. pressing buttons to issue commands)?
- Is it acceptable to use unmanned drones to take a images or videos of fields, towns, and private property without permission?

20. Brain-computer interfaces

- Brain–computer interfaces (BCI) provide a communication pathway between a person's brain waves and an external device, such as a cursor on a screen.
- Person is trained to concentrate on the task, e.g. moving the cursor.
- BCIs work through detecting changes in the neural functioning in the brain.
- ✤ BCIs apps:
 - Games

enable people who are paralysed (مشلول) to control robots 103





Which Interface?

- Is multimedia better than tangible interfaces for learning?
- Is speech as effective as a command-based interface?
- Is a multimodal interface more effective than a monomodal interface?
- Will wearable interfaces be better than mobile interfaces for helping people find information in foreign cities?
- Are virtual environments the ultimate interface for playing games?
- Will shareable interfaces be better at supporting communication and collaboration compared with using networked desktop PCs?



Which Interface?

- Will depend on task, users, context, cost, robustness, etc.
- Mobile platforms taking over from PCs.
- Speech interfaces also being used much more for a variety of commercial services.
- Appliance and vehicle interfaces becoming more important.
- Shareable and tangible interfaces entering our homes, schools, public places, and workplaces.

Summary

- Many innovative interfaces have emerged post the WIMP/GUI era, including speech, wearable, mobile, brain and tangible.
- Many design and research questions need to be considered to decide which to use.
- An important concern that underlies the design of any kind of interface is how information is represented to the user so they can carry out ongoing activity or task.

108