#### Authentication By Hafez Barghouthi

#### First some examples

- Passwords and PIN codes
- Passport with picture of face
- Faces of friends and family
- Voice on phone
- Email address
- Blind date with red rose

## Definition

- Authentication:
  - By authentication we mean verifying a claimed identity
- Identification:
  - By identification we mean establishing an identity

### Authentication vs identification

- Authentication (also called verification)
  - Identity is provided
  - Is he really who he claims to be?
  - One-to-one verification
- Identification
  - No identity is provided
  - Who is he?
  - One-to-many

## Focus of course

- Authentication, not identification
- Machine, not human
- Authentication systems
  - Enrollment
  - Authentication

### Parties involved

- There are in general 3 parties involved in an authentication process:
  - The authenticator (or user).
  - The verifier.
  - The attacker.

### **Authentication Factors**

- Currently we have 3 authentication factors:
  - Know: something only you remember
  - Have: something only you possess
  - Are: some biometric property

### Know - 1

- Basis:
  - Remembering a secret or recognition of a hidden item
- Open sesami

Know - 2

#### • Examples:

• Passwords, pass phrases, pass faces, PIN-codes

| lease enter | the current password for:<br>patrickb@pat.hig.no |              |             |
|-------------|--|--------------|-------------|
| assword:    | OK Cancel  | Click on you | ar Passface |

### Know - 3

- Advantages:
  - Cheap and easy to implement, portable, widely available
- Disadvantages:
  - Sniffing attacks, easy to guess or hard to remember, easy to share, cost of handling forgotten passwords

#### Have - 1

- Basis:
  - Possession of some piece of hardware containing a secret

Have - 2

#### • Examples:

 Token (contact or contactless), smart card, mechanical key





### Have - 3


- Advantages:
  - Hard to abuse, easy to use
- Disadvantages:
  - Expensive, can be lost or stolen, hard to replace
- More information:
  - Often used with password or PIN-code (two-factor authentication)


### Are - 1


- Basis:
  - Physiological (static) or behavioral (dynamic) biometrical properties

### Are - 2

- Physiological examples:
  - Fingerprint, face, retina, iris, DNA







(a) Anatomy.

(b) Measurements.

### Are - 3

#### • Behavioral examples:

• Voice, signature, keystroke, gait

| NAL                  | 1 14  | 1221             | 2              |
|----------------------|---|------------------|----------------|
| 0%<br>Rt Heel Strike | 50%<br>Lt Heel Strike   | 10<br>Rt Hee     | 0%<br>I Strike |
| Rt                   | Stance  | Rt Swing         |                |
| Sing                 | Swing<br>Duration of Total Rt Walk<br>le-Limb Support<br>ble-Limb Support<br>Rt Stride Length | Lt Stance        | t<br>et        |
| Rt-Lt S              |   | t-Rt Step Length |                |
| ľ                    |   |                  |                |

#### Are - 4

- Advantages:
  - Easy to use, portable
- Disadvantages:
  - Expensive, replay attacks may be possible, privacy issues, characteristics can (in general) not be changed, characteristics can be injured, intrusive

## **Biometrics**

- Fingerprint
- Face
- Hand
- Iris
- Retina
- Voice
- Signature
- Gait
- Keystroke dynamics

- Thermo gram
- Vascular patterns
- Ears
- Odor
- DNA
- Footprint
- Others...

### Other factors

- Somewhere you are
  - Authenticating a geographical location
  - Uses GPS satellites (global position system)
- Something you think (pass-thoughts)
  - Humans brain waves are identical
  - Can maybe used for verification
- Any others???

### Multiple authentication factors

- Two factor authentication:
  - Know and have (bank card and PIN code)
  - Have and are (token with fingerprint reader incorporated)
  - Know and are (fingerprint and PIN code)
  - Are and are (two biometrical features, e.g. finger and iris or 2 different fingers)

### **Best authentication?**

- Dependent on side conditions
  - Phone based banking: PIN or voice
  - Computer access: password or token
  - Computer access: finger or face
  - High security buildings: iris
  - Parking lot access: wireless token